

60905

FEATURES, CLAIMS, AND USES:

An excellent disinfectant, antimicrobial agent and two-way deodorizer for use on pre-cleaned, hard, nonporous surfaces, including toilets, urinals, bathtubs, shower stalls, seats, benches, lockers, partitions, counters, fixtures, knobs, handles, railings, telephones, furniture, equipment and surfaces which could harbor hazardous microorganisms.

VIROCIDAL Kills Human Immunodeficiency virus Type 1 (HIV-1); a retrovirus that causes "AIDS" (Acquired Immune Deficiency Syndrome), Herpes simplex Types 1 and 2, Influenza A2/ Hong Kong, Adenovirus Type 5, Vaccinia, Infectious canine hepatitis, Canine distemper, Feline pneumonitis, and Avian Influenza A virus (H5N1).

BACTERICIDAL Kills these species: Escherichia coli; Pseudomonas aeruginosa; Salmonella enterica; Salmonella schottmullerii (paratyphoid B); Shigella dysenteriae; Streptococcus pyogenes; Staphylococcus aureus; and Methicillin-resistant Staphylococcus aureus (MRSA).

TUBERCULOCIDAL Kills Mycobacterium tuberculosis (Tubercle bacilli).

FUNGICIDAL Kills Trichophyton mentagrophytes ("athlete's foot" fungi; formerly known as T. interdigitale) in appropriate areas such as on shower room floors, locker room benches, and bath mats.

CONTROLS MOLD/MILDEW Completely inhibits the growth of Aspergillus niger and Penicillium variable fungi on cloth.

SANITIZES Controls Staphylococcus aureus and Klebsiella pneumoniae on porous fabric and leather surfaces, such as on shoes, athletic mats, athletic shoes and other athletic equipment.

DEODORIZES TWO WAYS Pleasant fragrance quickly suppresses existing unpleasant odors from many sources. Controls microorganisms that could continue to create foul putrefactive odors.

FOR USE IN: Industrial, Institutional, Commercial, Medical and Residential facilities, equipment, and vehicles, including hospitals, ambulances, nursing homes, medical and dental offices and clinics, veterinary offices and animal areas, schools, laboratories, hotels and motels, restaurants and cafeterias; food storage, processing, packaging, handling, and serving establishments and equipment; offices, stores, factories and manufacturing plants; and apartment buildings and homes.

FOR USE ON: Most glass, porcelain, ceramic, enameled, painted, plastic (such as ABS, acrylic, latex rubber, phenolic resin, polyamide, polycarbonate, polyester, polyethylene, polyolefin, polypropylene, polystyrene, polytetrafluorethylene, polyurethane, and vinyl), rubber, metal, sealed leather, wood, grout, and concrete, and similar nonporous surfaces.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes or on skin or clothing. Wear long-sleeved shirt and long pants, protective eyewear (safety glasses), shoes and socks, and chemical resistant gloves (such as or made out of any water proof material). Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: In case of an emergency call toll free 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



PHYSICAL/CHEMICAL HAZARDS:
Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, pilot lights, and flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting. Extremely Flammable. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions For Use" on this label very carefully.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or a normally sterile area of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

GENERAL: Shake container well before each use and hold it upright while spraying. For use on pre-cleaned, hard nonporous surfaces; not for use on humans or animals. Do not contaminate foods/drinks/feeds. Not recommended for use on waxed/polished surfaces, water-based "latex" paint, shellac, cellulose (such as rayon) or other alcohol-sensitive materials.

TO KILL HIV-1 (Human Immunodeficiency virus Type 1; AIDS virus) ON PRECLEANED SURFACES/OBJECTS in health care or other settings with inanimate environmental surfaces/objects associated with the potential for transmission of HIV-1 and likely to be soiled with blood/body fluids, follow these additional instructions.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION - Barrier protection items such as disposable latex gloves, gowns, mask, and eye coverings should be worn when handling items soiled with blood/body fluids.

CLEANING PROCEDURE - Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product as a disinfectant. **CONTACT TIME** - Same as for disinfecting. **DISPOSAL OF INFECTIOUS MATERIALS** - Blood/body fluids and other materials removed from or used to clean surfaces/objects should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

FOR DISINFECTING, MILDEW CONTROL, SANITIZING, AND DEODORIZING OF CLEAN, NON-FOOD CONTACT SURFACES: Hold container upright about 6 to 8" (1/5 m) from surface and spray until target area is thoroughly wetted. Let air dry. Complete disinfection and tuberculocidal activity require a contact time of 10 minutes at approximately 68°F (20°C). Sanitization requires a 5 minute contact time at about 72°F (22°C). For mildew control, repeat application when necessary.

TO DEODORIZE AND FRESHEN ROOM AIR: Spray upward toward center and corners of room, keeping spray opening at least 3 ft. (1 m) from surfaces.

FOR USE AS A TOTAL RELEASE AIR DEODORIZER ONE UNIT TREATS UP TO 6,000 CUBIC FEET

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets, or under counters or tables. DO NOT use in a room 5 feet by 5 feet or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.)** Call your gas utility or management company if you need assistance with your pilot lights. Do not use this unit in an area less than 100 cubic feet.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT. Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes.

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including foods/drinks/feeds/water) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of as below. **STORAGE:** Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight). **DISPOSAL:** Do not puncture or incinerate!

If Empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

HMS Ratings: H - 1, F - 3, R - 1, P P - A.
EPA Reg. No. 44446-67-828-0 EPA Est. No. 44446-TX-1

Distributed by **SafeSpace** Made in USA

Springfield, MO 65809 • 1-800-735-2506
www.safespaceco.com

Disinfectant and Deodorizing Fogger
by **SafeSpace** Co.

KEEP OUT OF REACH OF CHILDREN
WARNING:

See additional precautionary and first aid statements on back panel.

ACTIVE INGREDIENTS:
2-Phenylphenol 0.199%
4-tert-Amylphenol 0.046%
Ethanol 53.000%
INERT INGREDIENTS 46.755%
TOTAL 100.000%

Patent Pending
NET WT.
6 OZ. (170 g)

8 57783 100100 3